REFERENCES:

1. Ashok Kumar, Kuldeep Singh, Munish Ahuja (2009). Xanthan-g-poly (acrylamide): Microwave-assisted synthesis, characterization and in vitro release behavior .Carbohydrate Polymers. 76:261–267.

2. Arti Srivastava, Vivek Mishra, Pooja Singh, Ambika Srivastava & Rajesh (2012). Comparative study of thermal degradation behavior of graft copolymers of polysaccharides and vinyl monomers. Journal of Thermal Analysis and Calorimetry. 107:211-223.

3. Akhilesh Vikram Singhand Lila Kanta Nath. , (2013). Evaluation of chemically modified hydrophobic sago starch as a carrier for controlled drug delivery. Saudi Pharm J. 21(2): 193–200.

4. Ali Y.A. Alfaifi, Mohamed H. El-Newehy, E.S. Abdel-Halim,Salem S. Al-Deyab (2014). Microwave-assisted graft copolymerization of amino acid based monomers onto starch and their use as drug carriers. Carbohydrate Polymers.106: 440–452.

5. Asghar LF, Chure CB, Chandran S.(2009). Colon specific delivery of indomethacin: effect of incorporating pH sensitive polymers in xanthan gum matrix bases. AAPS PharmSciTech. 10(2):418-29.

6. Ana M.S. Maia , Hugo V.M. Silva , Priscila S. Curti , Rosangela C. Balaban (2012). Study of the reaction of grafting acrylamide onto xanthan gum. Carbohydrate Polymers. 90(2): 778–783.

7. Brittany L. Hayes (2004). Recent Advances in Microwave- Assisted Synthesis. CEM Corporation, Life Sciences Division. 37: 66-79.

8. Balbir Singh Kaith, Rajeev Jindal and Hemant Mittal(2010). Superabsorbent hydrogels from poly(acrylamide-co-acrylonitrile) grafted Gum ghatti with salt, pH and temperature responsive properties. Der Chemica Sinica, 1 (2): 92-103.

9. Balbir Singh Kaith, Rajeev Jindal, Hemant Mittal and Kiran Kumar (2010). Temperature, pH and electric stimulus responsive hydrogels from Gum ghatti and polyacrylamide-synthesis, characterization and swelling studies. Der Chemica Sinica.1 (2): 44-54.

10. Chourasia MK, Jain SK (2004). Polysaccharides for colon targeted drug delivery. Drug Deliv .11:129-48

11. Clement Jackson, Iniunwana Udonkang(2011). *In-vitro* studies of xanthan gum based formulation of Albendazole for colon targeted delivery.Int J Pharm Biomed Res.2 (2), 59-63.

12. Eiji Fukui,Nobuteru Miyamura, Masao Kobayashi(2001). An in vitro investigation of the suitability of press-coated tablets with hydroxypropylmethylcellulose acetate succinate (HPMCAS) and hydrophobic additives in the outer shell for colon targeting.Journal of Controlled Release. 70, (1–2): 97–107.

13. Gautam Sena,, Sumit Mishraa, Usha Jhaa, Sagar Palb(2010). Microwave initiated synthesis of polyacrylamide grafted guar gum (GG-g-PAM)—Characterizations and application as matrix for controlled release of 5-amino salicylic acid. Int J Biol Macromol. 47(2):164-70.

14. Gautam Sena, Sandipta Ghosha, Usha Jhaa, Sagar Palb (2011). Hydrolyzed polyacrylamide grafted carboxymethylstarch (Hyd. CMS-g-PAM): An efficient flocculant for the treatment of textile industry wastewater. Chemical Engineering Journal. 171: 495– 501.

15. Gauri Bhawna, Singh Shailendra K and Mishra Dinanath (2011). Formulation and evaluation of colon targeted oral drug delivery systems for metronidazole in treatment of amoebiasis. International Journal of Drug Delivery. 3: 503-512.

16. Krishnaiah YS, Seetha Devi A, Nageswara Rao L, Bhaskar Reddy PR, Karthikeyan RS, Satyanarayana V.(2001). Guar gum as a carrier for colon specific delivery; influence of metronidazole and tinidazole on in vitro release of albendazole from guar gum matrix tablets. J Pharm Pharm Sci. 4(3):235-43.

17. Krishnaiah YS, Indira Muzib Y, Srinivasa Rao G, Bhaskar P, Satyanarayana V.(2002). Design and in vitro evaluation of oral colon targeted drug delivery systems for tinidazole. J Drug Target.10(8):579-84.

18. Kshirsagar SJ, Bhalekar MR. (2011). Design, development and in vitro-in vivo study of a colon-specific fast disintegrating tablet. Pharm Dev Technol. 16(5):449-56.

19. Krishnaiah YS, Muzib YI, Rao GS, Bhaskar P, Satyanarayana V.(2003). Studies on the development of colon targeted oral drug delivery systems for ornidazole in the treatment of amoebiasis. Drug Deliv.10(2):111-7.

20. Lai H, Zhu F, Yuan W, He N, Zhang Z, Zhang X, He Q (2011). Development of multiple-unit colon-targeted drug delivery system by using alginate: in vitro and in vivo evaluation. Drug Dev Ind Pharm. 37(11):1347-56.

21. Momin M, Pundarikakshudu K.(2004). In vitro studies on guar gum based formulation for the colon targeted delivery of Sennosides. J Pharm Pharm Sci. 7(3):325-31.

22. Nuran Işıklan,Gülcan Küçükbal(2012). Microwave-induced synthesis of alginate–graft-poly(*N*-isopropylacrylamide) and drug release properties of dual pH- and temperature-responsive beads.European Journal of Pharmaceutics and Biopharmaceutics.82: 316–331.

23. Prabhu P, Ahamed N, Matapady HN, Ahmed MG, Narayanacharyulu R, Satyanarayana D, Subrahmanayam E (2010). Investigation and comparison of colon specificity of novel polymer khaya gum with guar gum. Pak J Pharm Sci. 23(3):259-65.

24. Raghavendra V. and Biswanath (2009). Electroresponsive Polyacrylamide-grafted-xanthan Hydrogels for Drug Delivery. Journal of Bioactive and Compatible Polymers. 24: 368-384.

25. Ramaprasad YV, Krishnaiah YSR, Satyanarayana S (1996). Trends in colonic drug delivery: A review. Indian drugs; 33(1):1-10.

26. Raghavendra C. Mundargi a, Sangamesh A. Patil a, Tejraj M. Aminabhavi b (2007). Evaluation of acrylamide-grafted-xanthan gum copolymer matrix tablets for oral controlled delivery of antihypertensive drugs.Carbohydrate Polymers. 69: 130–141.

27. Ravi V, Siddaramaiah, Pramod Kumar TM. (2008). Influence of natural polymer coating on novel colon targeting drug delivery system. J Mater Sci Mater Med. 19(5):2131-6.

28. Ravi kumar, Anupama setia(2012).grafting modification of the polysaccharide by use of microwave irradiation-A Review. International journal of recent advances Pharmaceutical Research.2 (2):45:53.

29. Santanu Kaitya, Jinu Isaaca, P. Mahesh Kumara, Anirbandeep Boseb, Tin Wui Wongb (2013). Microwave assisted synthesis of acrylamide grafted locust bean gum and its application in drug delivery. Carbohydrate Polymers. 98:1083– 1094.

30. Sanchita Mandal, Sanat Kumar Basu, Biswanath Sa(2010). Ca^{2+} ion cross-linked interpenetrating network matrix tablets of polyacrylamide-grafted-sodium alginate and sodium alginate for sustained release of diltiazem hydrochloride. Carbohydrate Polymers.82(3). 867–873.

31. Sogali (2012). Influnce of natural gums for effective colon targeting of methotrexate for the treatment of colorectal cancer. Int J Pharm. 2(3): 498-506.

32. Sinha VR, Mittal BR, Kumria R. (2005). In vivo evaluation of time and site of disintegration of polysaccharide tablet prepared for colon-specific drug delivery. Int J Pharm. 289(1-2):79-85.

33. Sinha VR, Mittal BR, Bhutani KK, Kumria R(2004). Colonic drug delivery of 5-fluorouracil: an in vitro evaluation. Int J Pharm. 9; 269(1):101-8.

34. Sinha VR, Singh A, Singh S, Bhinge JR (2007). Compression coated systems for colonic delivery of 5-fluorouracil. J Pharm Pharmacol.59(3):359-65.

35. Swati Malik, Munish Ahuja (2011). Gum kondagogu-g-poly (acrylamide): Microwave-assisted synthesis, characterisation and release behavior. Carbohydrate Polymers.86(1):177–184.

36. Udaya S Toti, Tejraj M Aminabhavi(2004).Modified guar gum matrix tablet for controlled release of diltiazem hydrochloride.Journal of Controlled Release. 95(3):567–577.

37. Vandana Singh, Devendra Narayan Tripathi, Ashutosh Tiwari and Rashmi Sanghi (2005). Microwave promoted synthesis of chitosan-graft-poly(acrylonitrile). Inc. J Appl Polym Sci. 95: 820–825.

38. V.R Sinha, Rachna Kumria (2002). Binders for colon specific drug delivery: an in vitro evaluation. International Journal of Pharmaceutics. 249: 23–31.

39. V. Singha, P. Kumara,R. Sanghi(2011). Use of microwave irradiation in the grafting modification of the polysaccharides .A review. Journal Progress in Polymer Science.-703: 25.

40. Y.S.R Krishnaiah , P Veer Raju, B Dinesh Kumar (2001). Development of colon targeted drug delivery systems for mebendazole. Journal of Controlled Release. 77(2): 87–95.